Cumulative Index

This is a cumulative index of subjects covered in Nursing Update from January through December, 1973 (Vol. 4, Nos. 1-12). The numbers immediately following the subject listing indicate the issue, for example, 4/73 is April, 1973. Page numbers in bold face indicate major coverage of the subject. Single back copies of Nursing Update are available, while the supply lasts, at $1 each. For discount information on larger back-copy orders, write Barbara M. Taylor, Circulation, Nursing Update, 16 Thorndal Circle, P.O. Box 1245, Darien, Conn. 06820.

Abuse, child
prevention, counseling, detection 4/73, **1-10**
Acidosis
after near-drowning 6/73, 4
renal failure and 3/73, 4,5,10
Adolescents
as high-risk drivers 8/73, 12
Aging
driving risks in 8/73, 9-12
hearing loss in 2/73, 4,7
Alcoholism
problem-drinker driver 8/73, 3-4
Allergy
penicillin 12/73, **1-7**
transfusion and 1/73, 9
Anaphylaxis
insect stings 5/73, 14-16
penicillin 12/73, 3-6
Anemia
transfusion and 1/73, 4-5
Anxiety
drugs for 11/73, 6
events that produce 11/73, 5
placebo and 3/73, 13-14
recognizing, helping patients 11/73, **1-7**
Asphyxiation ***see Drowning***
Audiometers
testing hearing loss 2/73, 6,8
Battered child ***see Abuse, child***
Behavior
child abuse and 4/73, 6-8
disorders, driving risks in 8/73, 7-8
in anxious patient 11/73, 4
in childhood hearing loss 2/73, 3-4
Blood ***see also Transfusion***
components, uses 1/73, **4-8**
Blood alcohol ***see Tests***
Blood gas analysis ***see Tests***
Blood pressure
significance after near-drowning 6/73, 10
Bursitis
causes, short-, long-term care 10/73, **11-15**
Calories
easy counting 7/73, 13
Cardiac arrest
after near-drowning 6/73, 3,8
in penicillin anaphylaxis 12/73, 4
Cardiovascular disease
driving risks in 8/73, 4-6
Catheter, urethral
prophylactic care with 8/73, 14-15
CBC ***see Tests***
Central venous pressure ***see Monitoring***
Cerebral palsy
case finding, counseling 9/73, **1-12**
range-of-motion exercises 9/73, **9-12**
Chemotherapy ***see Drug therapy***
Chest
pain, in anxiety 11/73, 4
symptoms, in pulmonary embolism 10/73, 6
Cold therapy
in tendinitis/bursitis 10/73, 12-13
Communication
with anxious patients 11/73, 4-7
with child-abusing parents 4/73, 5-9
with diabetics 5/73, **1-13**
with Hodgkin's patient 7/73, 11
with parents about poisoning 11/73, **9-15**
with patient receiving placebo 3/73, 14-15
Contact lenses
placing hard lens 3/73, 2
Deafness ***see Hearing loss***
Dehydration
renal failure and 3/73, 3
Diabetes
driving risks in 8/73, 12-13
patients' self-care learning needs 5/73, **1-13**
Dialysis
in renal failure 3/73, **4-12**
Diet
compliance tips 7/73, 13-15
diabetics' learning needs 5/73, 7-9
in penicillin hypersensitivity 12/73, 7
low protein 3/73, 10
renal failure and 3/73, 4,6-7,10,12
sodium restricted 3/73, 6-7
Diphtheria
immunization 4/73, 12-13
Driver health problems
high-risk patients 8/73, **1-13**
Drowning
care after near- 6/73, **1-10**
emergency resuscitation 6/73, 8
physiologic changes after 6/73, 4; 9/73, 8
Drugs ***see also Medication***
acute renal failure and 3/73, 1
driving risks and 8/73, 10
hearing loss and 2/73, 3
information sources 6/73, 11-15
transfusion reactions and 1/73, 9
Drug chart
anxiety, drugs for 11/73, 6
poisons and antidotes 11/73, 10-11
Drug interactions
driving risks in 8/73, 10
warfarin with other agents 10/73, 7
Drug therapy ***see also specific illnesses***
alternatives to penicillin 12/73, 4
analgesics in tendinitis/bursitis 10/73, 12
antibiotics after near-drowning 6/73, 9
antibiotics in renal failure 3/73, 4
anticoagulants, prophylaxis in embolism risk 10/73, 4-6
antidotes for poisons 11/73, 10-11
anti-inflammatory agents in tendinitis/bursitis 10/73, 13-14
bronchodilators after near-drowning 6/73, 9
chemotherapy in Hodgkin's disease 7/73, 9-12
digitalis in renal failure 3/73, 4
diuretics after near-drowning 6/73, 9
diuretics in renal failure 3/73, 11
emetics in poisoning 11/73, 13-15
insulin in diabetic self-care 5/73, 4
placebo uses 3/73, 13-15
tranquilizers in anxiety 11/73, 6
Ear
examination for hearing loss 2/73, 7
Edema ***see Pulmonary edema***
Education, continuing
professional reading for 12/73, 8-13
Embolism ***see Pulmonary embolism***
Epilepsy
driving risks in 8/73, 12-13
Exercise
after acute tendinitis/bursitis 10/73, 4
diabetics' learning needs 5/73, 9-10
mononucleosis and 2/73, 13,15
prophylactic, in pulmonary embolism risk 10/73, 4
range-of-motion in cerebral palsy 9/73, **9-12**
Family counseling
in cerebral palsy 9/73, **8-12**
in child abuse 4/73, **5-9**
in diabetes 5/73, 11
in long-term hemodialysis 3/73, 12
preventing poisoning accidents 11/73, 14-15
Fatigue
in Hodgkin's disease therapy 7/73, 12
in mononucleosis 2/73, 12
Fetal monitoring ***see Monitoring***
Fever
in Hodgkin's disease 7/73, 5
in mononucleosis 2/73, 12
in penicillin hypersensitivity 12/73, 4
Fluids ***see also IV therapy***
intake in renal failure 3/73, 3,11
intake for urethral catheter irrigation 8/73, 14
use in possible poisoning 11/73, 12
Foreign objects
in ear, hearing loss and 2/73, 7
Hearing loss
decibel loss defined 2/73, 6
drugs causing 2/73, 3
speech testing in 2/73, 10
screening for 2/73, **1-10**
tuning fork tests 2/73, 9
Hemodialysis
in chronic renal failure 3/73, 11-12
Hemorrhage
transfusion and 1/73, 3-5
Hepatitis
transfusion-related 1/73, 8
Hodgkin's disease
classification 7/73, 5-8
current care of 7/73, **1-12**
MOPP therapy 7/73, 9-11
radiotherapy 7/73, 8-9, 11-12
Hostility
affect on placebo therapy 3/73, 14-15
child abuse and 4/73, 3-6
driving risks in 8/73, 8
in anxious patient 11/73, 7
Hypertension
driving risks in 8/73, 6
renal failure and 3/73, 11
Hyperventilation
respiratory alkalosis cause 11/73, 4
Hyposensitization
insect stings 5/73, 16
Immunization
diphtheria, tetanus, pertussis 4/73, 12-13
poliomyelitis 4/73, 14
smallpox 4/73, 11
tetanus prophylaxis 4/73, 15
Infarction ***see Pulmonary infarction***
Infection
hearing loss and 2/73, 3,5,10
risk in renal failure 3/73, 3
risk in transfusion 1/73, 4,8-9

Cumulative Index

This is a cumulative index of subjects covered in Nursing Update from January through December, 1973 (Vol. 4, Nos. 1-12). The numbers immediately following the subject listing indicate the issue, for example, 4/73 is April, 1973. Page numbers in bold face indicate major coverage of the subject. Single back copies of Nursing Update are available, while the supply lasts, at $1 each. For discount information on larger back-copy orders, write Barbara M. Taylor, Circulation, Nursing Update, 16 Thorndal Circle, P.O. Box 1245, Darien, Conn. 06820.

Abuse, child
prevention, counseling, detection 4/73, **1-10**
Acidosis
after near-drowning 6/73, 4
renal failure and 3/73, 4,5,10
Adolescents
as high-risk drivers 8/73, 12
Aging
driving risks in 8/73, 9-12
hearing loss in 2/73, 4,7
Alcoholism
problem-drinker driver 8/73, 3-4
Allergy
penicillin 12/73, **1-7**
transfusion and 1/73, 9
Anaphylaxis
insect stings 5/73, 14-16
penicillin 12/73, 3-6
Anemia
transfusion and 1/73, 4-5
Anxiety
drugs for 11/73, 6
events that produce 11/73, 5
placebo and 3/73, 13-14
recognizing, helping patients 11/73, **1-7**
Asphyxiation ***see Drowning***
Audiometers
testing hearing loss 2/73, 6,8
Battered child ***see Abuse, child***
Behavior
child abuse and 4/73, 6-8
disorders, driving risks in 8/73, 7-8
in anxious patient 11/73, 4
in childhood hearing loss 2/73, 3-4
Blood ***see also Transfusion***
components, uses 1/73, **4-8**
Blood alcohol ***see Tests***
Blood gas analysis ***see Tests***
Blood pressure
significance after near-drowning 6/73, 10
Bursitis
causes, short-, long-term care 10/73, **11-15**
Calories
easy counting 7/73, 13
Cardiac arrest
after near-drowning 6/73, 3,8
in penicillin anaphylaxis 12/73, 4
Cardiovascular disease
driving risks in 8/73, 4-6
Catheter, urethral
prophylactic care with 8/73, 14-15
CBC ***see Tests***
Central venous pressure ***see Monitoring***
Cerebral palsy
case finding, counseling 9/73, **1-12**
range-of-motion exercises 9/73, **9-12**
Chemotherapy ***see Drug therapy***
Chest
pain, in anxiety 11/73, 4
symptoms, in pulmonary embolism 10/73, 6
Cold therapy
in tendinitis/bursitis 10/73, 12-13
Communication
with anxious patients 11/73, 4-7
with child-abusing parents 4/73, 5-9
with diabetics 5/73, **1-13**
with Hodgkin's patient 7/73, 11
with parents about poisoning 11/73, **9-15**
with patient receiving placebo 3/73, 14-15
Contact lenses
placing hard lens 3/73, 2
Deafness ***see Hearing loss***
Dehydration
renal failure and 3/73, 3
Diabetes
driving risks in 8/73, 12-13
patients' self-care learning needs 5/73, **1-13**
Dialysis
in renal failure 3/73, **4-12**
Diet
compliance tips 7/73, 13-15
diabetics' learning needs 5/73, 7-9
in penicillin hypersensitivity 12/73, 7
low protein 3/73, 10
renal failure and 3/73, 4,6-7,10,12
sodium restricted 3/73, 6-7
Diphtheria
immunization 4/73, 12-13
Driver health problems
high-risk patients 8/73, **1-13**
Drowning
care after near- 6/73, **1-10**
emergency resuscitation 6/73, 8
physiologic changes after 6/73, 4; 9/73, 8
Drugs ***see also Medication***
acute renal failure and 3/73, 1
driving risks and 8/73, 10
hearing loss and 2/73, 3
information sources 6/73, 11-15
transfusion reactions and 1/73, 9
Drug chart
anxiety, drugs for 11/73, 6
poisons and antidotes 11/73, 10-11
Drug interactions
driving risks in 8/73, 10
warfarin with other agents 10/73, 7
Drug therapy ***see also specific illnesses***
alternatives to penicillin 12/73, 4
analgesics in tendinitis/bursitis 10/73, 12
antibiotics after near-drowning 6/73, 9
antibiotics in renal failure 3/73, 4
anticoagulants, prophylaxis in embolism risk 10/73, 4-6
antidotes for poisons 11/73, 10-11
anti-inflammatory agents in tendinitis/bursitis 10/73, 13-14
bronchodilators after near-drowning 6/73, 9
chemotherapy in Hodgkin's disease 7/73, 9-12
digitalis in renal failure 3/73, 4
diuretics after near-drowning 6/73, 9
diuretics in renal failure 3/73, 11
emetics in poisoning 11/73, 13-15
insulin in diabetic self-care 5/73, 4
placebo uses 3/73, 13-15
tranquilizers in anxiety 11/73, 6
Ear
examination for hearing loss 2/73, 7
Edema ***see Pulmonary edema***
Education, continuing
professional reading for 12/73, 8-13
Embolism ***see Pulmonary embolism***
Epilepsy
driving risks in 8/73, 12-13
Exercise
after acute tendinitis/bursitis 10/73, 4
diabetics' learning needs 5/73, 9-10
mononucleosis and 2/73, 13,15
prophylactic, in pulmonary embolism risk 10/73, 4
range-of-motion in cerebral palsy 9/73, **9-12**
Family counseling
in cerebral palsy 9/73, **8-12**
in child abuse 4/73, **5-9**
in diabetes 5/73, 11
in long-term hemodialysis 3/73, 12
preventing poisoning accidents 11/73, 14-15
Fatigue
in Hodgkin's disease therapy 7/73, 12
in mononucleosis 2/73, 12
Fetal monitoring ***see Monitoring***
Fever
in Hodgkin's disease 7/73, 5
in mononucleosis 2/73, 12
in penicillin hypersensitivity 12/73, 4
Fluids ***see also IV therapy***
intake in renal failure 3/73, 3,11
intake for urethral catheter irrigation 8/73, 14
use in possible poisoning 11/73, 12
Foreign objects
in ear, hearing loss and 2/73, 7
Hearing loss
decibel loss defined 2/73, 6
drugs causing 2/73, 3
speech testing in 2/73, 10
screening for 2/73, **1-10**
tuning fork tests 2/73, 9
Hemodialysis
in chronic renal failure 3/73, 11-12
Hemorrhage
transfusion and 1/73, 3-5
Hepatitis
transfusion-related 1/73, 8
Hodgkin's disease
classification 7/73, 5-8
current care of 7/73, **1-12**
MOPP therapy 7/73, 9-11
radiotherapy 7/73, 8-9, 11-12
Hostility
affect on placebo therapy 3/73, 14-15
child abuse and 4/73, 3-6
driving risks in 8/73, 8
in anxious patient 11/73, 7
Hypertension
driving risks in 8/73, 6
renal failure and 3/73, 11
Hyperventilation
respiratory alkalosis cause 11/73, 4
Hyposensitization
insect stings 5/73, 16
Immunization
diphtheria, tetanus, pertussis 4/73, 12-13
poliomyelitis 4/73, 14
smallpox 4/73, 11
tetanus prophylaxis 4/73, 15
Infarction ***see Pulmonary infarction***
Infection
hearing loss and 2/73, 3,5,10
risk in renal failure 3/73, 3
risk in transfusion 1/73, 4,8-9

urinary tract, prophylactic catheter care 8/73, 14-15
Infectious mononucleosis ***see Mononucleosis***
Inhalation therapy
after near-drowning 6/73, 3,6-9
Injuries
blood vessel, in pulmonary embolism risk 10/73, 3
brain, in fetal anoxia 9/73, 13-15
indicating child abuse 4/73, 7-8
lung, in near-drowning 6/73, 4-5
shoulder, in tendinitis/bursitis 10/73, 11
Insect stings
emergency care 5/73, 14-16
kit 5/73, 15
Insulin
administration, diabetics' learning needs 5/73, 5-7
Intracranial pressure
after near-drowning 6/73, 10
peritoneal dialysis and 3/73, 10
Intradermal tests ***see Tests***
Intravenous therapy
after near-drowning 6/73, 9-10
blood components, proper use 1/73, **1-10**
in penicillin anaphylaxis 12/73, 3-4
Irrigation
urethral catheter 8/73, 14
Kidney shutdown ***see Renal failure***
Learning
diabetics' needs in self-care 5/73, **1-13**
disorders and hearing loss 2/73, 3
problems/aids in cerebral palsy 9/73, 8-9
Lung ***see also Pulmonary embolism, infarct***
injury in near-drowning 6/73, 4-5
Lung scan
in pulmonary embolism 10/73, 8-9
Lymphadenopathy
in Hodgkin's disease 7/73, 3-4
in mononucleosis 2/73, 12,14
Medication
diabetics' learning needs 5/73, 5-7
driving risks and 8/73, 10
placebo as therapy 3/73, 13-15
Mental disorders
driving risks in 8/73, 6-8,11-12
phobias 11/73, 7
retardation in cerebral palsy 9/73, 8
Metric system
converting to 1/73, 11-15
Monitoring
central venous pressure in transfusion 1/73, 8
fetal, to prevent brain damage 9/73, 13-15
near-drowning patient 6/73, 9-10
Mononucleosis ***see also Tests***
psychological factors in 2/73, 13
symptoms, care of 2/73, 11-15
Nephritis ***see Renal failure***
Neuromotor dysfunction
in cerebral palsy 9/73, **3-8**
Obstetrics
fetal monitoring in 9/73, 13-15
Odor
breath, significance in possible poisoning 11/73, 13
Otitis media
hearing loss and 2/73, 5
Otologic examination
in hearing loss 2/73, 7
Oxygen
after near-drowning 6/73, 3,6-7
in fetal distress 9/73, 15
in pulmonary embolism 10/73, 8
Pain
chest, significance in pulmonary embolism 10/73, 6
shoulder, in tendinitis/bursitis 10/73, 11-12,14
Pediatrics
cerebral palsy in 9/73, **1-12**
child abuse prevention in 4/73, **1-10**
hearing loss detection in 2/73, 3-4,7-10
possible poisoning in 11/73, **8-15**
Penicillin
adverse reactions to 12/73, **1-7**
Peritoneal dialysis
procedure, care in 3/73, **4-10**
Pertussis
immunization 4/73, 12
Pharyngitis
in mononucleosis 2/73, 13
Phlebitis ***see Thrombophlebitis***
Placebo
therapeutic uses 3/73, 13-15
Plasma fractions
in transfusion therapy 1/73, 5,7
Poisoning
antidotes 11/73, 10-11
emergency care 11/73, **8-15**
prevention by parents 11/73, 14
Poliomyelitis
immunization 4/73, 14
Potassium
blood level, significance in renal failure 3/73, 4,11
level in banked blood 1/73, 3,9
Pregnancy
hearing loss and 2/73, 4
Psychological problems
driving risks and 8/73, 6-8,12
in anxious patient 11/73, 3,7
in cerebral palsy 9/73, 1-4
in child abuse 4/73, 3-9
in diabetes 5/73, 6,9,11-13
in placebo therapy 3/73, 13-14
Pulmonary edema
after near-drowning 6/73, **4-9**
Pulmonary embolism
prophylactic anticoagulant therapy 10/73, 4,6-7
risk factors, prevention, recognition, care of 10/73, **1-10**
Pulmonary infarction
after embolism 10/73, 10
Radiotherapy
in Hodgkin's disease 7/73, 8-9,11-12
Reading, professional
drug information sources 6/73, 11-15
techniques to improve 12/73, 8-13
Red blood cells
in transfusion therapy 1/73, 4-5
Rehabilitation
shoulder, after tendinitis/bursitis 10/73, 14-15
Renal failure
care in acute and chronic 3/73, **1-12**
diet in 3/73, 4,6-7,10
drugs as causes 3/73, 1
hemodialysis in chronic 3/73, 11-12
peritoneal dailysis, 3/73, **4-10**
Respiration
hyperventilation in anxious patient 11/73, 4
significance in possible poisoning 11/73, 12-13
significance in pulmonary embolism 10/73, 6
Rinne Test ***see Tuning fork tests***
Screening Tests ***see Tests***
Shock
in penicillin hypersensitivity 12/73, 3-4
transfusion therapy in 1/73, 3
Skin tests ***see Tests, intradermal***
Slings
use in tendinitis/bursitis 10/73, 14
Smallpox
immunization 4/73, 11
Specimens
sputum, collecting from youngsters 9/73, 2
urine, drainage system aspiration for 8/73, 15
Speech
testing in hearing loss 2/73, 8,10
Stings ***see Insect stings***
Surgery
cerebral palsy and 9/73, 3
emboli prevention and 10/73, 10
Hodgkin's disease staging and 8/73, 7-8
risk factor in pulmonary embolism 10/73, 3
Tendinitis
causes, short-, long-term care 10/73, **11-15**
Tests
blood alcohol, in high-risk drivers 8/73, 4
blood gas analysis, in near-drowning 6/73, 6
CBC, in mononucleosis 2/73, 12
heterophile antibody agglutination, in mononucleosis 2/73, 12
intradermal, in penicillin hypersensitivity 12/73, 7
screening tests, in cerebral palsy 9/73, 5-7
screening tests, in hearing loss 2/73, **1-10**
urine, diabetics' learning needs 5/73, 3-5
urine, in possible salicylate poisoning 11/73, 12
urine, 24-hour in chronic renal failure 3/73, 11
Tetanus
immunization 4/73, 12-13
prophylaxis 4/73, 15
Throat, sore ***see Pharyngitis***
Thrombophlebitis
risk factor in pulmonary embolism 10/73, 3
Thumb strapping
in cerebral palsy 9/73, 12
Toxic reactions
to digitalis in renal failure 3/73, 4
to insect stings 5/73, 14-16
Transfusion
blood components used 1/73, **1-10**
risks in 1/73, 8-9
reactions, care of 1/73, 10
Trauma ***see Injuries***
Tuning fork tests
Rinne 2/73, 8-9
Weber 2/73, 8-9
Unconsciousness
driving risks and 8/73, 12-13
in possible poisoning 11/73, 13
significance after near-drowning 6/73, 10
Urethral catheter ***see Catheter, urethral***
Urinary tract infection ***see Infection, urinary tract***
Urine testing ***see Tests***
Volume expanders
in transfusion therapy 1/73, 7
Weber test ***see Tuning fork tests***
Weight reduction
diet compliance tips 7/73, 13-15 □